



SPEAKER MOUNTING BRACKET HY-UV04

Thank you for purchasing TOA's Speaker Mounting Bracket.

Please carefully follow the instructions in this manual to ensure long, trouble-free use of your equipment.

1. SAFETY PRECAUTIONS

- Before installation or use, be sure to carefully read all the instructions in this section for correct and safe operation.
- Be sure to follow all the precautionary instructions in this section, which contain important warnings and/or cautions regarding safety.
- After reading, keep this manual handy for future reference.

MARNING

Indicates a potentially hazardous situation which, if mishandled, could result in death or serious personal injury.

- Since the unit is designed for indoor use, do not install it outdoors. If installed outdoors, the aging of parts causes the unit to fall off, resulting in personal injury.
- Do not use other methods than specified to mount the bracket. Extreme force is applied to the unit and the unit could fall off, possibly resulting in personal injuries.
- Use nuts and bolts that are appropriate for the ceiling's or wall's structure and composition. Failure to do so may cause the unit to fall, resulting in material damage and possible personal injury.
- Tighten each nut and bolt securely. Ensure that the bracket has no loose joints after installation to prevent accidents that could result in personal injury.
- Use the specified mounting bracket in combination.
 Doing otherwise may cause the unit or component to fall off, resulting in personal injury.

A CAUTION

Indicates a potentially hazardous situation which, if mishandled, could result in moderate or minor personal injury, and/or property damage.

- Avoid touching the unit's sharp metal edge to prevent injury.
- Do not stand or sit on, nor hang down from the unit as this may cause it to fall down or drop, resulting in personal injury and/or property damage.

 Have the unit checked periodically by the shop from where it was purchased. Failure to do so may result in corrosion or damage to the unit or its mounting bracket that could cause the unit to fall, possibly causing personal injury.


2. GENERAL DESCRIPTION

The TOA HY-UV04 is the dedicated mounting bracket for the SR-F04 Speaker system. It allows the SR-F04 to be mounted in a vertical orientation.

It can be used in conjunction with one of the optional speaker mounting brackets shown below depending on the installation location.

For pipe mount use: HY-B0801 For ceiling mount use: HY-C0801 For wall mount use: HY-W0801

3. DIMENSIONAL DIAGRAM



4. SPECIFICATIONS

Finish	Steel plate, black, semi-glossy, paint
Dimensions	80 (w) x 278 (h) x 34.1 (d) mm (3.15" x 10.94" x 1.34")
Weight	1 kg (2.2 lb)
Accessories	For speaker mounting Hex head bolt M6 x 20 with spring and plain washers 4 For bracket mounting Hex head bolt M8 x 18 with spring and plain washers 2


Note: The design and specifications are subject to change without notice for improvement.

5. MOUNTING TO THE SPEAKER

- **Step 1.** Remove 4 screws on both sides of the optional speaker system SR-F04.
- **Step 2.** Attach the hand brackets to the SR-F04's left and right sides using the hex head bolts supplied with the HY-UV04.

Note

The screws removed in Step 1 cannot be used.



Attach the hand bracket aligning its curved line with the SR-F04's front direction.


Step 3. Attach the arms to the Bracket B of the speaker mounting bracket to join.


For attachment, use the 4 hex head bolts supplied with the speaker mounting bracket to join.

Note

Use all 4 hex head bolts and securely tighten them.

Step 4. Attach the left and right hand brackets to the arms with the supplied hex head bolts.







Step 5. Using the Bracket A of the speaker mounting bracket to join, install the speaker to the desired location.

Note

For the installation of the Bracket A, read the instruction manual of the speaker mounting bracket to join.

Step 6. Loosen the hex head bolts installed in **Step 4**, and adjust the vertical angle of the SR-F04. Then, securely retighten the bolts.





Traceability Information for Europe

Manufacturer:

TOA Corporation

7-2-1, Minatojima-Nakamachi, Chuo-ku, Kobe, Hyogo, Japan

Authorized representative: TOA Electronics Europe GmbH Suederstrasse 282, 20537 Hamburg, Germany

URL: https://www.toa.jp/